

Lasnek

STAINLESS STEEL



COMPACT ENCLOSURES

Lasnek



TRADITIONAL

- 1.4301/304
STAINLESS STEEL
- SATIN FINISH 1.5MM
- IP65/EN60529:1992
IEC529:1989
- 3MM GALVANISED
GEAR PLATE
- FULLY WELDED
CONSTRUCTION

VIEWING WINDOW

- MACHINED DOOR
HINGES INTERNALLY
MOUNTED
- BODY & DOOR MOUNTED
EARTH STUDS
- FLUSH MOUNTED
DOOR TO BODY
- FITTED LOCKS
X2 > KCC SIZE 06
- PERSPEX VIEWING
WINDOW



BESPOKE SERVICE AVAILABLE

COMPACT ENCLOSURES



SLOPE TOP

- INTEGRAL RAIN CANOPY
- SLOPE TOP 15° ANGLE
- FULLY WELDED
- FITTED LOCK & KEY
- AVAILABLE FROM STOCK
- INTERNAL DOOR HINGES

DETAIL SPECIFICATION SHEETS AVAILABLE

ORDERING INFORMATION			
Dimensions H x W x D (mm)	Traditional	Slope Top*	Viewing Window
300 x 200 x 150	KCC-01	KCC-01-S15	N/A
300 x 300 x 150	KCC-02	KCC-02-S15	N/A
450 x 200 x 200	KCC-03	KCC-03-S15	N/A
450 x 300 x 200	KCC-04	KCC-04-S15	N/A
450 x 450 x 200	KCC-05	KCC-05-S15	KCC-05-VP
600 x 300 x 300	KCC-06	KCC-06-S15	N/A
600 x 450 x 300	KCC-07	KCC-07-S15	KCC-07-VP
600 x 600 x 300	KCC-08	KCC-08-S15	KCC-08-VP
750 x 450 x 300	KCC-09	KCC-09-S15	KCC-09-VP
750 x 600 x 300	KCC-10	KCC-010-S15	KCC-10-VP
750 x 750 x 300	KCC-11	KCC-11-S15	KCC-11-VP
1000 x 500 x 300	KCC-12	KCC-12-S15	KCC-12-VP
1000 x 750 x 300	KCC-13	KCC-13-S15	KCC-13-VP
1000 x 1000 x 300	KCC-14	KCC-14-S15	KCC-14-VP

* Please refer to KCC-**-S15 data sheet for maximum external height dimensions

Lasnek

STAINLESS STEEL CABLE MANAGEMENT

- **CABLE TRAY**
- **TRUNKING**
- **ENCLOSURES**
- **WIRE BASKET**
- **CONDUIT**
- **LADDER**
- **CHANNEL**
- **BOXES**
- **ISOLATORS**

Lasnek, 1 President Way, Luton, Bedfordshire LU2 9NR
Tel: +44 (0) 1582 425777 • Fax: +44 (0) 1582 425776

• **email: sales@lasnek.com • www.lasnek.com**